

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	29	(search\$3 same (web near2 log)) and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 04:53
L2	29	(search\$3 same (web near2 log)) and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 04:55
L3	17	(search\$3 same (history near2 log)) and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 04:58
L4	12	707/3 and (search\$3 same (data near2 log)) and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:02
L5	27	707/3 and ((web near2 log)) and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:19
L6	85	"707"/\$.ccls. and ((web near2 log)) and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:02
L7	5	707/3 and (search\$3 with (transaction near2 log)) and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:27
L8	12	707/3 and (user near2 behaviour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:29

EAST Search History

L9	7	"707"/\$.ccls. and (user near2 behaviour) and (recommended)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:30
L10	277	(search\$3 with log) and (query same SQL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:31
L11	13	(search\$3 with log) same (query same SQL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:30
L12	116	((search\$3 with log) same user) and (query same SQL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:41
L13	0	Microsoft and (search\$ same (user near2 profile) same log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:42
L14	139	(search\$ same (user near2 profile) same log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:44
L15	370	(search\$ same (user with log)) and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:44
L16	148	(search\$ same (user with log)) and sql and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:52

EAST Search History

L17	1	10/853622	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:52
L18	72683	liu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:53
L19	895	liu.in. and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:53
L20	270	liu.in. and microsoft and (monitor\$3 same user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:53
L21	50	liu.in. and microsoft and (monitor\$3 same user) and (search\$ same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 05:55
L22	21	liu.in. and microsoft and (monitor\$3 same user) and (search\$ same query) and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:03
L23	2648	(monitor\$3 same user) and (search\$ same query) and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:03
L24	1053	(monitor\$3 same user) and (search\$ same query) and log and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:03

EAST Search History

L25	57	(monitor\$3 same user) same (search\$ same query) and log and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:27
L26	25	(search\$3 same URL same (user near2 profile)) and (sql)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:28
L27	14	(search\$3 same URL same (user near2 profile)) and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 06:28

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[storing results in a log and retrieving result from](#)[Search](#)[Advanced Search](#)[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web Results 1 - 10 of about 1,040,000 for [storing results in a log and retrieving result from the log](#). (0.37 s**

[IBM Tivoli Storage Manager for Windows: Administrator's Guide ...](#)

Step 3: Deleting a Volume from the Database or Recovery Log ... Controlling the Format of
SELECT Results ... Storing the Disaster Recovery Plan Locally ...
publib.boulder.ibm.com/infocenter/tivihelp/topic/com.ibm.itsmcw.doc/anrgd5302.htm -
135k - [Cached](#) - [Similar pages](#)

[IBM Tivoli Storage Manager for Linux: Administrator's Guide - Contents](#)

Using the Devices to **Store** Client Data ... Step 3: Deleting a Volume from the Database or
Recovery Log ... Controlling the Format of **SELECT Results ...**
publib.boulder.ibm.com/infocenter/tivihelp/v1r1/topic/com.ibm.itsml.doc/update/anrgd5302.htm - 118k - [Cached](#) - [Similar pages](#)
[\[More results from publib.boulder.ibm.com \]](#)

[change log](#)

Function will run a query to **retrieve** values for the aid and **store result** in static array.
Subsequent requests for the answer values will come from the ...
cls.wilson.montana.edu:16080/survey/inbre/changelog.txt - 28k - [Cached](#) - [Similar pages](#)

[\[PDF\] Storing Fixed Data Logger Results In STORET](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
The original **log** file can be attached to the **results**. ... When **retrieving** the data, it will be
stored as a Field Measurement/Observation, allowing ...
www.epa.gov/storet/data_logger.pdf - [Similar pages](#)

[Platinum Recruiter](#)

On future searches, Smart Retrieve allows you to see the **results** without you having ... and
the **result** in the **log** will be hyperlinked to the saved **result**. ...
www.infogist.com/PlatinumRecruiterNew.aspx - 29k - [Cached](#) - [Similar pages](#)

[MOM 2005: Results for Reporting Server](#)

The following table shows typical **results** for the data and **log** files. ... When **retrieving** 24
hours of data, 90% of the reports tested returned a data set ...
www.microsoft.com/technet/prodtechnol/mom/mom2005/Library/e387b8bc-2dfe-4e46-b6c2-b853ddf50f11.mspx - 18k - [Cached](#) - [Similar pages](#)

[ASP.NET QuickStart Tutorials](#)

Storing profile information for anonymous users depends on the **Anonymous** ... As a **result**,
when you **log in**, and then **log out**, the site considers you to be a ...
quickstarts.asp.net/QuickStartv20/aspnet/doc/profile/default.aspx - 43k -
[Cached](#) - [Similar pages](#)

[1 /* 2 * Copyright , Aegeus Technology Limited. All rights reserved ...](#)

`isInfoEnabled() { 94 LOG.info("retrieve: " + selector); 95 } 96 Collection result = null; 97 if
(selector instanceof IssuerCertSelector) { 98 result ...
jsdsi.sourceforge.net/xref/jsdsi/certstore/jdbc/JdbcCertificateDAO.html` - 25k -
[Cached](#) - [Similar pages](#)

[Monitoring Your ColdFusion Environment With the Free Log Parser ...](#)

And while it can produce simple textual **results**, it can also generate output to a ... Well,

many **log** files do have a first line called a "header" line that ...

coldfusion.sys-con.com/read/296223.htm - 72k - Jan 27, 2007 - [Cached](#) - [Similar pages](#)

PowerCenter SDK: Annotated Index

IServerInfo, This class provides functionality for **retrieving** ... LAGetLogSegmentResult,

This class is for getting the session **log result** from Load Manager ...

devnet.informatica.com/software/PowerCenter_SDK_Docs_Public/annotated.html - 53k -

[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[storing results in a log and retrieving](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14665	707/8 or 707/204 or 707/205 or 707/101 or 707/202 or 707/203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:53
L2	892	1 and ((restore or recovery) same files)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L3	632	2 and (backup or (back-up) or (back near2 up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:55
L4	62	3 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:54
L5	20	4 and replace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:54
L6	3	4 and (replace same (portion or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L7	5142	((restore or recovery) same files)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:55
L8	2743	7 and (backup or (back-up) or (back near2 up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56

EAST Search History

L9	155	8 and (replace same (portion or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L10	578	((restore or recovery) same files).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L11	1	10 and (replace same (portion or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L12	25	10 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56
L13	7	12 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/28 20:56